



PATENT
Customer No. 22,852
Attorney Docket No. 03943.0102

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Stephen P. Farwell et al.

Application No.: 10/035,229

Filed: January 4, 2002

For: Pressure Relief Device Assemblies

)
)
) Group Art Unit: 3753
)
) Examiner: Ramesh Krishnamurthy
)
)
)
)

#8
6-7-03

RECEIVED

JUN 06 2003

TECHNOLOGY CENTER R3700

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE TO RESTRICTION REQUIREMENT

In a restriction requirement dated May 6, 2003, the Examiner required restriction under 35 U.S.C. § 121 between (1) Species A, as shown in Fig. 2; (2) Species B, as shown in Figs. 6a - 6c; (3) Species C, as shown in Figs. 17a and 19; or (4) Species D, as shown in Figs. 20, 21a-21c, and 22. Applicants provisionally elect to prosecute Species B, as shown in Figs. 6a-6c. Claims 1-28 read on the elected species.

Please grant any extensions of time required to enter this response and charge any additional required fees to our deposit account 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW,
GARRETT & DUNNER, L.L.P.

By:

Kurt A. Luther
Reg. No. 43,764

Dated: June 5, 2003

FINNEGAN
HENDERSON
FARABOW
GARRETT &
DUNNER LLP

1300 I Street, NW
Washington, DC 20005
202.408.4000
Fax 202.408.4400
www.finnegan.com